

Selenium (SELENIUM)

Source:

Cerba Lancet Africa

View our website:

cerbalancetafrica.com

Date & Time of Export:

27 July 2026 20:08



TEST OVERVIEW

Test Name	Selenium
Test Code	SELENIUM
Short Description	Selenium

OVERVIEW

Test Name	Selenium
Test Code	SELENIUM
Category	Toxicology
TAT	Main Lab: 2 Day(s) Family Site: 2 Days
Specimen(s)	1 x Venous blood - 5 mL Tube - Lavender - EDTA Plasma

SPECIMEN(S)

EDTA Plasma

Specimen Type	EDTA Plasma
Specimen Format	Tube
Specimen Colour	Lavender
Specimen Volume	5 mL
Sampling Order	4
Origin	Venous blood
Collection time after baseline	-
Transport Temperature	2-8°C
Accepted Other Specimens	Lithium Heparin Plasma
TAT	Main Lab: 2 Day(s)

Test Stability

Family Site: 2 Days

Room Temp: 8 Hour(s)
2–8°C: 14 Day(s)**CLINICAL INFORMATION****Selenium (serum)**

Methodology	-
Specimen Type	EDTA Plasma
Delay before pre-treatment	1
Transport Temperature	2-8°C
Transport Stability at room temp	8 Hours
Transport Stability at 2–8°C	14 Day
Haemolysis interference	No

PATIENT INFORMATION

Clinical Information Required	-
Patient Collection Notes	-

COMMENTS & NOTES

LOINC Code	22-4, 5722-4
Outwork	Yes